

# Stratco

---

# Stainless Steel

|                                  |    |
|----------------------------------|----|
| Grease Arrestor 440 Litre .....  | 52 |
| Grease Arrestor 1000 Litre ..... | 53 |
| Grease Arrestor 1800 Litre ..... | 54 |
| V-Base Grease Arrestor .....     | 55 |

# GREASE ARRESTOR 440 LITRE

# Features



Manufactured to suit trade & waste requirements, the 440 litre grease arrestor is designed for inground or above ground applications. All components are fabricated to suit compatible plumbing fittings.

## FEATURES

- Custom manufactured
- Fabricated from 316 #2B stainless steel

## STANDARD SPECIFICATION

- 5 mm galvanised checker plate sealed lids
- Inbuilt inspection ports
- Inlet and outlet spigots
- Breather hole
- Manufactured from 1.6 mm 316 #2B stainless steel sheet complying with the trade & waste authority & AS 1449



| DRAWING CODE    | A    | B   | C    | D   |
|-----------------|------|-----|------|-----|
| DIMENSIONS (mm) | 1120 | 850 | 1050 | 710 |

MODEL NO: GRAR440SS  
09/2004

# GREASE ARRESTOR 1000 LITRE

# Features


Manufactured to suit trade & waste requirements, the 1000 litre grease arrestor is designed for inground or above ground applications. All components are fabricated to suit compatible plumbing fittings.

## FEATURES


- Custom manufactured
- Fabricated from 316 #2B stainless steel
- Galvanised or stainless frames

## STANDARD SPECIFICATION

- 5 mm galvanised checker plate sealed lids
- Inbuilt inspection ports
- Inlet and outlet spigots
- Breather hole
- Manufactured from 1.6 mm 316 #2B stainless steel sheet complying with the trade & waste authority & AS 1449




5 mm GALVANISED  
CHECKER PLATE  
SEALED LIDS



| DRAWING CODE    | A    | B   | C    | D    |
|-----------------|------|-----|------|------|
| DIMENSIONS (mm) | 1120 | 850 | 1600 | 1000 |


MODEL NO: GRAR1000SS  
09/2004

# GREASE ARRESTOR 1800 LITRE



## Features

Manufactured to suit trade & waste requirements, the 1800 litre grease arrester is designed for inground or above ground applications. All components are fabricated to suit compatible plumbing fittings.



### FEATURES

- Custom manufactured
- Fabricated from 316 #2B stainless steel
- Galvanised or stainless frames


### STANDARD SPECIFICATION

- 5 mm galvanised checker plate sealed lids
- Inbuilt inspection ports
- Inlet and outlet spigots
- Breather hole
- Manufactured from 1.6 mm 316 #2B stainless steel sheet complying with the trade & waste authority & AS 1449

| DRAWING CODE    | A    | B   | C    | D    |
|-----------------|------|-----|------|------|
| DIMENSIONS (mm) | 1350 | 850 | 2500 | 1050 |


**MODEL NO: GRAR1800SS**  
09/2004

# V-BASE GREASE ARRESTOR



## Features

Manufactured to suit trade & waste requirements, the V-Base grease arrestor is designed for inground or above ground applications. All components are fabricated to suit compatible plumbing fittings.



### FEATURES

- Custom manufactured
- Fabricated from 316 #2B stainless steel
- Galvanised or stainless frames

### STANDARD SPECIFICATION

- 5 mm galvanised checker plate sealed lids
- Inbuilt inspection ports
- Inlet and outlet spigots
- Breather hole
- Manufactured from 1.6 mm 316 #2B stainless steel sheet complying with the trade & waste authority & AS 1449

| DRAWING CODE    | A    | B    | C    | D    |
|-----------------|------|------|------|------|
| DIMENSIONS (mm) | C.S. | C.S. | C.S. | C.S. |

• C.S. - Custom Sizes

MODEL NO: GRARVBSS  
09/2004